License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVERES SEMI SYNTHETIC	5W-30	SN	Resource Conserving
EVEREST	10W-30	SN	Resource Conserving
EVEREST	10W-30	CK-4, CJ-4	
EVEREST	10W-40	SN	
EVEREST	15W-40	CJ-4, CI-4, CH-4/SM	CI-4 PLUS
EVEREST	20W-50	SN	
EVEREST	0W-40	SN	
EVEREST	5W-30	SN	Resource Conserving
EVEREST	5W-40	SN	
EVEREST 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	10W-40	SN	
EVEREST 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	20W-50	SN	
EVEREST ADVANCED HD	10W-30	CK-4, CJ-4/SN	CI-4 PLUS
EVEREST ADVANCED HD	10W-30	CK-4	
EVEREST ADVANCED HD	15W-40	CK-4/SN	CI-4 PLUS
EVEREST ADVANCED HD	15W-40	CK-4	
EVEREST ADVANCED HD SYN	15W-40	CK-4, CJ-4	
EVEREST ADVANCED HD SYN BLEND	10W-30	CK-4, CJ-4	
EVEREST ADVANCED HEAVY DUTY SYN BLEND	10W-30	FA-4	
EVEREST CONVENTIONAL	30	SN	SN PLUS
EVEREST EURO ACEA FULL SYN	5W-40	SN	
EVEREST EXTREEM HEAVY DUTY	15W-40	CK-4, CJ-4	
EVEREST EXTREME DUTY SYN BLEND	15W-40	CK-4, CJ-4	
EVEREST FULL SYN	0W-16	SN	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVEREST FULL SYN	0W-20	SP	Resource Conserving, SN PLUS
EVEREST FULL SYN	0W-20	SN	Resource Conserving
EVEREST FULL SYN	0W-20	SN	Resource Conserving, SN PLUS
EVEREST FULL SYN	0W-30	SN	Resource Conserving
EVEREST FULL SYN	5W-20	SP	Resource Conserving, SN PLUS
EVEREST FULL SYN	5W-20	SN	Resource Conserving
EVEREST FULL SYN	5W-20	SN	Resource Conserving, SN PLUS
EVEREST FULL SYN	5W-30	SP	Resource Conserving, SN PLUS
EVEREST FULL SYN	5W-30	SN	Resource Conserving
EVEREST FULL SYN	5W-30	SN	Resource Conserving, SN PLUS
EVEREST FULL SYN	5W-40	SN	
EVEREST FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
EVEREST FULL SYN	10W-30	SN	Resource Conserving
EVEREST FULL SYN	10W-40	SN	
EVEREST FULL SYN DEXOS GEN 2	0W-20	SN	Resource Conserving
EVEREST FULL SYN DEXOS GEN 2	5W-20	SN	Resource Conserving, SN PLUS
EVEREST FULL SYN DEXOS GEN 2	5W-30	SN	Resource Conserving
EVEREST FULL SYNTHETIC	0W-20	SN	Resource Conserving

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVEREST FULL SYNTHETIC	0W-40	SN	
EVEREST FULL SYNTHETIC	5W-20	SN	Resource Conserving, SN PLUS
EVEREST FULL SYNTHETIC	5W-30	SN	Resource Conserving, SN PLUS
EVEREST FULL ULTRA SYNTHETIC	5W-20	SN	Resource Conserving
EVEREST FULL ULTRA SYNTHETIC	5W-30	SN	Resource Conserving
EVEREST HD	15W-40	CK-4/SN	CI-4 PLUS
EVEREST HD FULL SYNTHETIC	15W-40	CK-4/SN	CI-4 PLUS
EVEREST HEAVEY DUTY SYN BLEND	10W-30	CJ-4/SN	
EVEREST HEAVY DUTY SYN BLEND	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
EVEREST HIGH MILE	5W-20	SN	Resource Conserving, SN PLUS
EVEREST HIGH MILE	5W-30	SN	Resource Conserving, SN PLUS
EVEREST HIGH MILE	10W-30	SN	Resource Conserving, SN PLUS
EVEREST SEMI SYNTHETIC	5W-20	SN	Resource Conserving
EVEREST SEMI SYNTHETIC	10W-30	SN	Resource Conserving
EVEREST SEMI SYNTHETIC	10W-40	SN	
EVEREST SEMI SYNTHETIC	20W-50	SN	
EVEREST SYN BLEND	0W-20	SN	Resource Conserving
EVEREST SYN BLEND	5W-20	SP	Resource Conserving, SN PLUS
EVEREST SYN BLEND	5W-20	SN	Resource Conserving
EVEREST SYN BLEND	5W-20	SN	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EVEREST SYN BLEND	5W-30	SP	Resource Conserving, SN PLUS
EVEREST SYN BLEND	5W-30	SN	Resource Conserving
EVEREST SYN BLEND	5W-30	SN	Resource Conserving, SN PLUS
EVEREST SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
EVEREST SYN BLEND	10W-30	SN	Resource Conserving
EVEREST SYN BLEND	10W-30	SN	Resource Conserving, SN PLUS
EVEREST SYN BLEND	10W-40	SP	SN PLUS
EVEREST SYN BLEND	10W-40	SN	
EVEREST SYN BLEND	10W-40	SN	SN PLUS
EVEREST SYN BLEND	20W-50	SP	SN PLUS
EVEREST SYN BLEND	20W-50	SN	SN PLUS
EVEREST TBN CP-11	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
EVEREST ULTRA FULL SYN	10W-30	SN	Resource Conserving
GLODEN STALLION HEAVY DUTY FULL SYN BLEND	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
GOLDEN 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	20W-50	SN	
GOLDEN STALLION 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	10W-40	SN	
GOLDEN STALLION 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	20W-50	SN	
GOLDEN STALLION ADVANCED HEAVY DUTY SYN BLEND	10W-30	FA-4	

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
GOLDEN STALLION EURO ACEA FULL SYN	5W-40	SN	
GOLDEN STALLION EXTREEM HEAVY DUTY SYN BLEND	15W-40	CK-4, CJ-4	
GOLDEN STALLION FULL SYN	0W-16	SN	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYN	0W-20	SP	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYN	0W-20	SN	Resource Conserving
GOLDEN STALLION FULL SYN	0W-20	SN	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYN	0W-30	SN	Resource Conserving
GOLDEN STALLION FULL SYN	5W-20	SN	Resource Conserving
GOLDEN STALLION FULL SYN	5W-20	SN	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYN	5W-30	SN	Resource Conserving
GOLDEN STALLION FULL SYN	5W-30	SN	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYN	10W-30	SN	Resource Conserving
GOLDEN STALLION FULL SYN	10W-30	SN	Resource Conserving, SN PLUS
GOLDEN STALLION FULL SYN	10W-40	SN	SN PLUS
GOLDEN STALLION HD SYN BLEND CP-11	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
GOLDEN STALLION HEAVY DUTY SYN BLEND	10W-30	CJ-4/SN	
GOLDEN STALLION HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4, CJ-4/SN	CI-4 PLUS

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
GOLDEN STALLION HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	5W-20	SN	Resource Conserving
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	5W-30	SN	Resource Conserving
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	10W-30	SN	Resource Conserving
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	10W-40	SN	
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	10W-40	SM	
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	15W-40	CJ-4, CI-4, CH-4/SJ	CI-4 PLUS
GOLDEN STALLION SYN BLEND	0W-20	SN	Resource Conserving
GOLDEN STALLION SYN BLEND	5W-20	SP	Resource Conserving, SN PLUS
GOLDEN STALLION SYN BLEND	5W-20	SN	Resource Conserving, SN PLUS
GOLDEN STALLION SYN BLEND	5W-30	SP	Resource Conserving, SN PLUS
GOLDEN STALLION SYN BLEND	5W-30	SN	Resource Conserving, SN PLUS
GOLDEN STALLION SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
GOLDEN STALLION SYN BLEND	10W-30	SN	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
GOLDEN STALLION SYN BLEND	10W-40	SP	SN PLUS
GOLDEN STALLION SYN BLEND	10W-40	SN	SN PLUS
GOLDEN STALLION SYN BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
GOLDEN STALLION SYN BLEND	20W-50	SP	SN PLUS
GOLDEN STALLION SYN BLEND	20W-50	SN	SN PLUS
KRONOS PRISCUS SEMI-SINTETICO	10W-30	SN	Resource Conserving
KRONOS FILIUS SEMI-SINTETICO	15W-40	CK-4	
KRONOS PRISCUS SEMI-SINTETHICO	20W-50	SN	
MEGA SYN BLEND ULTRA HD	10W-40	SN	
MEGA SYN BLEND TITAN HD	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
MEGA SYN BLEND ULTRA ADVANCED FORMULA	20W-50	SN	
PETROMERICA FULL SYN	0W-20	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYN	5W-20	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYN	5W-30	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
PETROMERICA FULL SYN ULTRA	0W-16	SN	Resource Conserving, SN PLUS
PETROMERICA FULL SYN ULTRA	0W-20	SN	Resource Conserving, SN PLUS
PETROMERICA FULL SYN ULTRA	0W-30	SN	Resource Conserving
PETROMERICA FULL SYN ULTRA	0W-40	SN	
PETROMERICA FULL SYN ULTRA	5W-20	SN	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
PETROMERICA FULL SYN ULTRA	5W-30	SN	Resource Conserving, SN PLUS
PETROMERICA FULL SYN ULTRA	10W-30	SN	Resource Conserving, SN PLUS
PETROMERICA FULL SYN ULTRA	10W-40	SN	SN PLUS
PETROMERICA FULL SYN ULTRA DEXOS	0W-20	SN	Resource Conserving, SN PLUS
PETROMERICA HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4, CJ-4/SN	CI-4 PLUS
PETROMERICA HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
PETROMERICA SEMI SYNTHETIC PLUS	5W-20	SN	Resource Conserving, SN PLUS
PETROMERICA SEMI SYNTHETIC PLUS	5W-30	SN	Resource Conserving, SN PLUS
PETROMERICA SEMI SYNTHETIC PLUS	10W-30	SN	Resource Conserving, SN PLUS
PETROMERICA SEMI SYNTHETIC PLUS	10W-40	SN	SN PLUS
PETROMERICA SEMI SYNTHETIC PLUS	20W-50	SN	SN PLUS
PETROMERICA SYN BLEND	5W-20	SP	Resource Conserving, SN PLUS
PETROMERICA SYN BLEND	5W-30	SP	Resource Conserving, SN PLUS
PETROMERICA SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
PETROMERICA SYN BLEND	10W-40	SP	SN PLUS

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
PETROMERICA SYN BLEND	20W-50	SP	SN PLUS
RADIX FULL SYN	10W-40	SN	
ROVER	5W-20	SN	Resource Conserving
ROVER	10W-30	SN	Resource Conserving
ROVER	10W-40	SN	
ROVER	15W-40	CJ-4, CI-4, CH-4/SM	CI-4 PLUS
ROVER 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	10W-40	SN	
ROVER 4T EXTREME DUTY SYNTHETIC BLEND MOTORCYCLE	20W-50	SN	
ROVER ADVANCED HEAVY DUTY SYN BLEND	10W-30	FA-4	
ROVER EURO ACEA FULL SYN	5W-40	SN	
ROVER EXTREEM HEAVY DUTY SYN BLEND	15W-40	CK-4, CJ-4	
ROVER FULL SUPER SYN	0W-20	SN	Resource Conserving
ROVER FULL SYN	0W-20	SP	Resource Conserving, SN PLUS
ROVER FULL SYN	5W-20	SP	Resource Conserving, SN PLUS
ROVER FULL SYN	5W-30	SP	Resource Conserving, SN PLUS
ROVER FULL SYN	5W-30	SN	Resource Conserving
ROVER FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
ROVER FULL SYN	10W-40	SP	SN PLUS
ROVER FULL SYN HD	5W-40	SN	
ROVER FULL ULTRA SYN	0W-40	SN	

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
ROVER HD SYN BLEND	20W-50	SN	
ROVER HEAVY DUTY	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
ROVER HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4, CJ-4/SN	CI-4 PLUS
ROVER HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
ROVER HEAVY DUTY TBN CP-11	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
ROVER SYN BLEND	0W-20	SN	Resource Conserving
ROVER SYN BLEND	5W-20	SP	Resource Conserving, SN PLUS
ROVER SYN BLEND	5W-30	SP	Resource Conserving, SN PLUS
ROVER SYN BLEND	5W-30	SN	Resource Conserving
ROVER SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS
ROVER SYN BLEND	10W-40	SP	SN PLUS
TIGER HEAD ADVANCED HEAVY DUTY SYN BLEND	10W-30	FA-4	
TIGER HEAD EXTREEM HEAVY DUTY SYN BLEND	15W-40	CK-4, CJ-4	
TIGER HEAD FULL SYN	0W-20	SN	Resource Conserving
TIGER HEAD FULL SYN	5W-20	SN	Resource Conserving
TIGER HEAD FULL SYN	5W-30	SN	Resource Conserving
TIGER HEAD FULL SYN	10W-30	SN	Resource Conserving
TIGER HEAD HD SYN BLEND CP-11	15W-40	CJ-4, CI-4, CH-4/SN	CI-4 PLUS
TIGER HEAD SYN BLEND	0W-20	SN	Resource Conserving
TIGER'S HEAD	5W-20	SN	Resource Conserving
TIGER'S HEAD	5W-30	SN	Resource Conserving

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
TIGER'S HEAD	10W-30	SN	Resource Conserving
TIGER'S HEAD	10W-40	SN	
TIGER'S HEAD FULL SYN	0W-16	SN	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYN	0W-20	SN	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYN	5W-20	SN	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYN	5W-30	SN	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYN	5W-40	SN	
TIGER'S HEAD FULL SYN	10W-30	SN	Resource Conserving, SN PLUS
TIGER'S HEAD FULL SYN	10W-40	SN	SN PLUS
TIGER'S HEAD HEAVY DUTY SYNTHETIC BLEND	10W-30	CK-4, CJ-4/SN	CI-4 PLUS
TIGER'S HEAD HEAVY DUTY SYNTHETIC BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
TIGER'S HEAD SYN BLEND	0W-16	SN	Resource Conserving, SN PLUS
TIGER'S HEAD SYN BLEND	5W-20	SN	Resource Conserving, SN PLUS
TIGER'S HEAD SYN BLEND	5W-30	SN	Resource Conserving, SN PLUS
TIGER'S HEAD SYN BLEND	10W-30	SP	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
TIGER'S HEAD SYN BLEND	10W-30	SN	Resource Conserving, SN PLUS
TIGER'S HEAD SYN BLEND	10W-40	SN	SN PLUS
TIGER'S HEAD SYN BLEND	15W-40	CK-4, CJ-4/SN	CI-4 PLUS
TIGER'S HEAD SYN BLEND	20W-50	SN	SN PLUS
WARCO	0W-20	SN	Resource Conserving, SN PLUS
WARCO	5W-20	SN	Resource Conserving, SN PLUS
WARCO	10W-40	SN	SN PLUS
WARCO	15W-40	CI-4/SL	
WARCO FULL SYN	0W-20	SP	Resource Conserving, SN PLUS
WARCO FULL SYN	5W-20	SP	Resource Conserving, SN PLUS
WARCO FULL SYN	5W-30	SP	Resource Conserving, SN PLUS
WARCO FULL SYN	10W-30	SP	Resource Conserving, SN PLUS
WARCO FULL SYN	10W-30	SN	Resource Conserving, SN PLUS
WARCO FULL SYN DEXOS	0W-20	SN	Resource Conserving, SN PLUS
WARCO FULL SYN DEXOS	5W-30	SN	Resource Conserving, SN PLUS
WARCO FULL SYNTHETIC	5W-20	SP	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
WARCO FULL SYNTHETIC	**5W-30**	**SP**	**Resource Conserving, SN PLUS**
WARCO SYN BLEND	**5W-20**	**SP**	**Resource Conserving, SN PLUS**
WARCO SYN BLEND	**5W-20**	**SN**	**Resource Conserving, SN PLUS**
WARCO SYN BLEND	**5W-30**	**SP**	**Resource Conserving, SN PLUS**
WARCO SYN BLEND	**5W-30**	**SN**	**Resource Conserving, SN PLUS**
WARCO SYN BLEND	**10W-30**	**SP**	**Resource Conserving, SN PLUS**
WARCO SYN BLEND	**10W-30**	**SN**	**Resource Conserving, SN PLUS**
WARCO SYN BLEND	**10W-40**	**SP**	**SN PLUS**
WARCO SYN BLEND	**20W-50**	**SP**	**SN PLUS**

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
EVERES SEMI SYNTHETIC	5W-30	GF-5
EVEREST	10W-30	GF-5
EVEREST	5W-30	GF-5
EVEREST FULL SYN	0W-20	GF-6A
EVEREST FULL SYN	0W-20	GF-5
EVEREST FULL SYN	0W-20	GF-5
EVEREST FULL SYN	0W-30	GF-5
EVEREST FULL SYN	5W-20	GF-6A
EVEREST FULL SYN	5W-20	GF-5
EVEREST FULL SYN	5W-20	GF-5
EVEREST FULL SYN	5W-30	GF-6A
EVEREST FULL SYN	5W-30	GF-5
EVEREST FULL SYN	5W-30	GF-5
EVEREST FULL SYN	10W-30	GF-6A
EVEREST FULL SYN	10W-30	GF-5
EVEREST FULL SYN DEXOS GEN 2	0W-20	GF-5
EVEREST FULL SYN DEXOS GEN 2	5W-20	GF-5
EVEREST FULL SYN DEXOS GEN 2	5W-30	GF-5
EVEREST FULL SYNTHETIC	0W-20	GF-5
EVEREST FULL SYNTHETIC	5W-20	GF-5
EVEREST FULL SYNTHETIC	5W-30	GF-5
EVEREST FULL ULTRA SYNTHETIC	5W-20	GF-5
EVEREST FULL ULTRA SYNTHETIC	5W-30	GF-5
EVEREST HIGH MILE	5W-20	GF-5
EVEREST HIGH MILE	5W-30	GF-5
EVEREST HIGH MILE	10W-30	GF-5

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
EVEREST SEMI SYNTHETIC	5W-20	GF-5
EVEREST SEMI SYNTHETIC	10W-30	GF-5
EVEREST SYN BLEND	0W-20	GF-5
EVEREST SYN BLEND	5W-20	GF-6A
EVEREST SYN BLEND	5W-20	GF-5
EVEREST SYN BLEND	5W-20	GF-5
EVEREST SYN BLEND	5W-30	GF-6A
EVEREST SYN BLEND	5W-30	GF-5
EVEREST SYN BLEND	5W-30	GF-5
EVEREST SYN BLEND	10W-30	GF-6A
EVEREST SYN BLEND	10W-30	GF-5
EVEREST SYN BLEND	10W-30	GF-5
GOLDEN STALLION FULL SYN	0W-20	GF-6A
GOLDEN STALLION FULL SYN	0W-20	GF-5
GOLDEN STALLION FULL SYN	0W-20	GF-5
GOLDEN STALLION FULL SYN	0W-30	GF-5
GOLDEN STALLION FULL SYN	5W-20	GF-5
GOLDEN STALLION FULL SYN	5W-20	GF-5
GOLDEN STALLION FULL SYN	5W-30	GF-5
GOLDEN STALLION FULL SYN	5W-30	GF-5
GOLDEN STALLION FULL SYN	10W-30	GF-6A
GOLDEN STALLION FULL SYN	10W-30	GF-5
GOLDEN STALLION FULL SYN	10W-30	GF-5
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	5W-20	GF-5
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	5W-30	GF-5
GOLDEN STALLION SUPERIOR QUALITY SYN BLEND	10W-30	GF-5

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
GOLDEN STALLION SYN BLEND	0W-20	GF-5
GOLDEN STALLION SYN BLEND	5W-20	GF-6A
GOLDEN STALLION SYN BLEND	5W-20	GF-5
GOLDEN STALLION SYN BLEND	5W-30	GF-6A
GOLDEN STALLION SYN BLEND	5W-30	GF-5
GOLDEN STALLION SYN BLEND	10W-30	GF-6A
GOLDEN STALLION SYN BLEND	10W-30	GF-5
KRONOS PRISCUS SEMI-SINTETICO	10W-30	GF-5
PETROMERICA FULL SYN	0W-20	GF-6A
PETROMERICA FULL SYN	5W-20	GF-6A
PETROMERICA FULL SYN	5W-30	GF-6A
PETROMERICA FULL SYN	10W-30	GF-6A
PETROMERICA FULL SYN ULTRA	0W-20	GF-5
PETROMERICA FULL SYN ULTRA	0W-30	GF-5
PETROMERICA FULL SYN ULTRA	5W-20	GF-5
PETROMERICA FULL SYN ULTRA	5W-30	GF-5
PETROMERICA FULL SYN ULTRA	10W-30	GF-5
PETROMERICA FULL SYN ULTRA DEXOS	0W-20	GF-5
PETROMERICA SEMI SYNTHETIC PLUS	5W-20	GF-5
PETROMERICA SEMI SYNTHETIC PLUS	5W-30	GF-5
PETROMERICA SEMI SYNTHETIC PLUS	10W-30	GF-5
PETROMERICA SYN BLEND	5W-20	GF-6A
PETROMERICA SYN BLEND	5W-30	GF-6A
PETROMERICA SYN BLEND	10W-30	GF-6A
ROVER	5W-20	GF-5
ROVER	10W-30	GF-5

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
ROVER FULL SUPER SYN	0W-20	GF-5
ROVER FULL SYN	0W-20	GF-6A
ROVER FULL SYN	5W-20	GF-6A
ROVER FULL SYN	5W-30	GF-6A
ROVER FULL SYN	5W-30	GF-5
ROVER FULL SYN	10W-30	GF-6A
ROVER SYN BLEND	0W-20	GF-5
ROVER SYN BLEND	5W-20	GF-6A
ROVER SYN BLEND	5W-30	GF-6A
ROVER SYN BLEND	5W-30	GF-5
ROVER SYN BLEND	10W-30	GF-6A
TIGER HEAD FULL SYN	0W-20	GF-5
TIGER HEAD FULL SYN	5W-20	GF-5
TIGER HEAD FULL SYN	5W-30	GF-5
TIGER HEAD FULL SYN	10W-30	GF-5
TIGER HEAD SYN BLEND	0W-20	GF-5
TIGER'S HEAD	5W-20	GF-5
TIGER'S HEAD	5W-30	GF-5
TIGER'S HEAD	10W-30	GF-5
TIGER'S HEAD FULL SYN	0W-20	GF-5
TIGER'S HEAD FULL SYN	5W-20	GF-5
TIGER'S HEAD FULL SYN	5W-30	GF-5
TIGER'S HEAD FULL SYN	10W-30	GF-5
TIGER'S HEAD SYN BLEND	5W-20	GF-5
TIGER'S HEAD SYN BLEND	5W-30	GF-5
TIGER'S HEAD SYN BLEND	10W-30	GF-6A

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

License No: 2495

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

U.S. GLOBAL PETROLEUM, INC.

may be used through 31-Mar-2022 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
TIGER'S HEAD SYN BLEND	10W-30	GF-5
WARCO	0W-20	GF-5
WARCO	5W-20	GF-5
WARCO FULL SYN	0W-20	GF-6A
WARCO FULL SYN	5W-20	GF-6A
WARCO FULL SYN	5W-30	GF-6A
WARCO FULL SYN	10W-30	GF-6A
WARCO FULL SYN	10W-30	GF-5
WARCO FULL SYN DEXOS	0W-20	GF-5
WARCO FULL SYN DEXOS	5W-30	GF-5
WARCO FULL SYNTHETIC	5W-20	GF-6A
WARCO FULL SYNTHETIC	5W-30	GF-6A
WARCO SYN BLEND	5W-20	GF-6A
WARCO SYN BLEND	5W-20	GF-5
WARCO SYN BLEND	5W-30	GF-6A
WARCO SYN BLEND	5W-30	GF-5
WARCO SYN BLEND	10W-30	GF-6A
WARCO SYN BLEND	10W-30	GF-5

Manager - EOLCS/DEF/MOM

Date: 25-Mar-2021

Engine Oil Licensing and Certification System

Copyright 2020 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark (“Starburst”), the API Service Symbol (“Donut”), and the API Certification Mark (“Shield”) are either trademarks or registered trademarks of API. 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch